

Optical Isolators

700 Series Optical Isolator Tuning Ranges

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------------------|-----------|--------------|
| 711A | 500 TO 645 | 37 → 40dB | 92% |
| 711C-1 | 350 TO 390 | 28 → 30dB | 85% |
| 711C-2 | 390 TO 450 | 28 → 30dB | 85% |
| 711C-3 | 425 TO 500 | 28 → 30dB | 85% |
| 712A | 532 TO 715 | 37 → 40dB | 92% |
| 712B | 644 TO 780 | 37 → 40dB | 92% |
| 712TGG | 700 TO 900 | 37 → 40dB | 92% |
| 713A | 650 TO 900 | 37 → 40dB | 92% |
| 713B | 790 TO 980 | 37 → 40dB | 92% |
| 714 | 680 TO 1080 | 37 → 40dB | 92% |
| 715 | 965 TO 1135 | 37 → 40dB | 92% |
| 716 (DOUBLE) | SPECIFY CENTER λ | 56 → 60dB | 88% |
| 716TGG | 1064 | 56 → 60dB | 88% |
| 815 | 1020 – 1100nm | 30dB | 92% |



711A Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 711A | 500 TO 645 | 37 → 40dB | 92% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com



711C-1 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 711C-1 | 350 TO 390 | 28 → 30dB | 85% |



711C-2 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 711C-2 | 390 TO 450 | 28 → 30dB | 85% |



711C-3 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 711C-3 | 425 TO 500 | 28 → 30dB | 85% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com



712A Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 712A | 532 TO 715 | 37 → 40dB | 92% |



712B Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 712B | 644 TO 780 | 37 → 40dB | 92% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com



712TGG Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 712TGG | 700 TO 900 | 37 → 40dB | 92% |



713A Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 713A | 650 TO 900 | 37 → 40dB | 92% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com



713B Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 713B | 790 TO 980 | 37 → 40dB | 92% |



714 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 714 | 680 TO 1080 | 37 → 40dB | 92% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com



715 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 715 | 965 TO 1135 | 37 → 40dB | 92% |



715-I Polarization Independent Optical Isolator

| MODEL NUMBER | TUNING RANGE | APERTURE | TRANSMISSION |
|--------------|--------------|----------|--------------|
| 715-I | 965 TO 1135 | 2.1mm | 92% |



716 (Double) Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|----------------|-----------|--------------|
| 716 (Double) | SPECIFY CENTER | 56 → 60dB | 88% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com

λ



716TGG Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|--------------|-----------|--------------|
| 716TGG | 1064 | 56 → 60dB | 88% |



815 Optical Isolator

| MODEL NUMBER | TUNING RANGE | ISOLATION | TRANSMISSION |
|--------------|---------------|-----------|--------------|
| 815 | 1020 – 1100nm | >30dB | >92% |

Aunion Tech Co.,Ltd

E-Mail: info@haoliangtech.com

Tel: +86-21-51083793

Website: www.auniontech.com